


Basement Window Schedule

Width

ow-E R-4 Energy Star cast in concrete

Qty ID Manufacturer





All construction shall conform to Massachusetts State Building Code. Plans based on WFCM, exposure B, 110 mph wind speed. Ground snow load 30 psf, FFL live load 40 psf, SFL live load 30 psf.


Install all items to manufacturer's recommendations unless noted otherwis Provide Allowances for all unspecified items. Story pole approval required before shingling, see note.


Wood flooring: 2 1/4" strips red oak


Solar panels not in contract. Install 3/4" EMT conduit from basement to attic for future panel wiring, no roof penetration.

Submit cabinet drawings for approval.













Drawing List					
A-1	Floor Plans				
A-2	Elevations				
A-3	Framing Plans				



RCHITEC

₩,


(208)



West (Back) Elevation SCALE: 1/4" = 1'-0"


Window Schedule									
Qty	ID	Manufacturer	Serial Number	Width	Height	Note/Remarks			
1	Α	Andersen	CW135	2'-4 7/8"	3'-5 3/8"	200 series			
1	В	Andersen 200	3 of 24310	8'-6 3/8"	4'-1 1/4"	double hung install separately			
1	С	Andersen	NL1842-DHP4242-NL1842	7'-11 3/8"	4'-5 1/4"	200 series			
7	D	Andersen 200	24310	2'-6 1/8"	4'-1 1/4"	double hung			
3	E	Andersen 200	2 of 24310	5'-6 1/4"	4'-1 1/4"	double hung install separately			
4	U	FormTech	basement	2'-8"	1'-8"	low-E R-4 Energy Star cast in concrete			

verify door and window sizes with plans, verify quantities and finishes before ordering install following manufacturer's recommendations unless noted otherwise exterior door and window color: white



East (Streetside) Elevation

SCALE: 1/4" = 1'-0"



RCHITECT

William F. Roslansky

26 Albatro

FHT Salt Box North Facing St. Marks Rd., Falmouth, MA

Elevations

Salt Box NFacing

North (Front) Elevation SCALE: 1/4" = 1'-0"

	Door Schedule										
Qty	ID	Manufacturer	Serial Number	Rough Opening	Width	Height	Notes / Remarks				
1	1	Therma-Tru	S210	3-2 1/2 x 6-10 1/2	3'	6'-8"					
1	2	Andersen 200	PS61611	6-0 3/4 x 6-11	6'	6'-8"	slider				
1	5				1'-3"	6'-8"	interior door, MDF molded typical				
1	5				1'-6"	6'-8"	interior door, MDF molded typical				
1	5				2'	6'-8"	interior door, MDF molded typical				
9	5				2'-6"	6'-8"	interior door, MDF molded typical				
1	6				2'-6"	6'-6"	basement door, MDF molded typical				
1	7				5'	6'-8"	interior door, MDF molded, bypassing				

typical interior door: 6 panel MDF molded doors painted white

